

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	APPLICATION NO. FILING DATE 10/664,927 09/22/2003		FIRST NAMED INVENTOR Tetsuro Kodera	ATTORNEY DOCKET NO.	CONFIRMATION NO. 5145		
10/664,927				117210			
25944	7590	05/04/2005		EXAM	EXAMINER		
OLIFF & BE	ERRIDG	E, PLC	GRAINGER, QUANA MASHELL				
P.O. BOX 199	928						
ALEXANDRIA, VA 22320				ART UNIT	PAPER NUMBER		
•				2852	Characterist .		

DATE MAILED: 05/04/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)	
	10/664,927	KODERA ET AL.	
Office Action Summary	Examiner	Art Unit	
·	Quana M. Grainger	2852	
 The MAILING DATE of this communication a Period for Reply 	ppears on the cover sheet w	ith the correspondence address -	
A SHORTENED STATUTORY PERIOD FOR REP THE MAILING DATE OF THIS COMMUNICATION - Extensions of time may be available under the provisions of 37 CFR after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a relif NO period for reply is specified above, the maximum statutory perions failure to reply within the set or extended period for reply will, by state Any reply received by the Office later than three months after the main earned patent term adjustment. See 37 CFR 1.704(b).	I. 1.136(a). In no event, however, may a pply within the statutory minimum of thi d will apply and will expire SIX (6) MO ute, cause the application to become A	reply be timely filed ty (30) days will be considered timely. NTHS from the mailing date of this communication. BANDONED (35 U.S.C. § 133).	
Status			
1) Responsive to communication(s) filed on 2a) This action is FINAL. 2b) The solution of the sum	is action is non-final. vance except for formal materials		
Disposition of Claims			
4) ☐ Claim(s) 1-20 is/are pending in the application 4a) Of the above claim(s) is/are withdrest is/are allowed. 5) ☐ Claim(s) 1-20 is/are allowed. 6) ☐ Claim(s) is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and	awn from consideration.		
Application Papers			
9) ☐ The specification is objected to by the Examination 10) ☑ The drawing(s) filed on 22 September 2003 is Applicant may not request that any objection to the Replacement drawing sheet(s) including the correction of the oath or declaration is objected to by the left.	s/are: a) accepted or b) (ne drawing(s) be held in abeya ection is required if the drawing	nce. See 37 CFR 1.85(a). i(s) is objected to. See 37 CFR 1.121(d).	
Priority under 35 U.S.C. § 119			
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority docume 2. Certified copies of the priority docume 3. Copies of the certified copies of the priority docume application from the International Bure * See the attached detailed Office action for a list	nts have been received. nts have been received in <i>i</i> iority documents have been au (PCT Rule 17.2(a)).	Application No received in this National Stage	
Attachment(s) 1) Notice of References Cited (PTO-892)	4) 🖂 Interview	Summary (PTO-413)	

Application/Control Number: 10/664,927

Art Unit: 2852

DETAILED ACTION

Conclusion

1. This application is in condition for allowance except for the following formal matters.

Drawings

The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the primary and secondary fixing devices must be shown or the feature(s) canceled from the claim(s). No new matter should be entered.

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Application/Control Number: 10/664,927

Art Unit: 2852

Prosecution on the merits is closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.

A shortened statutory period for reply to this action is set to expire **TWO MONTHS** from the mailing date of this letter.

Response to Arguments

2. Applicant's arguments filed 3-30-2005 have been fully considered but they are not persuasive. Applicant invention is to an image forming device having a primary and secondary fixing device. Applicant claims that the secondary fixing step is carried out under lower atmospheric pressure in a non-contact type fixing device but applicant does not depict this fixing device. Applicant must depict the claimed subject matter especially the allowable subject matter.

Prior Art

3. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Leising (US 3,987,757) and Endo et al. (JP 53-134444A) teach pertinent prior art wherein the fixing devices are under lower atmospheric pressure.

Contact Information

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Quana M. Grainger whose telephone number is 571-272-2135. The examiner can normally be reached on 8am-6pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Arthur Grimley can be reached on 571-272-2136. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Quana M Grainger Primary Examiner Art Unit 2852